

4.18/02

2/4

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("20030103215").PN.	USPAT; USOCR	OR	OFF	2005/04/18 07:58
L2	1	"20030103215"	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:12
L3	1	("6404482").PN.	USPAT; USOCR	OR	OFF	2005/04/18 08:36
L4	22552	((355/\$.ccls.) or (355/\$.ccls.)).CCLS.	USPAT; USOCR	OR	OFF	2005/04/18 08:37
L5	66890	"356"/\$.ccls. "355"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:37
L6	49318	"356"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:37
L7	18557	"355"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:37
L8	67	6 and (test adj plate)	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:48
L9	35	6 and (test adj plate) and (pin adj hole or slit or aperture)	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:55
L10	0	7 and (test adj plate) and (pin adj hole or slit or aperture)	US-PGPUB; USPAT	OR	OFF	2005/04/18 08:56
L11	13	7 and (test with objective) and (pin adj hole or slit or aperture)	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:03
L12	71	lithograph\$3 and (test near (surface or plate) and (slit or aperture near screen or pin adj hole) and chemical)	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:09
L13	41	7 and (multiple with apertures)	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:14
L14	0	("US5673101A").PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:15
L15	0	US005673101A	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:17
L16	0	7 and (test with (abut\$5 near (surface or plate)) and (pin adj hole or aperture adj screen or aperture adj slit))	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:19
L17	0	6 and (test with (abut\$5 near (surface or plate)) and (pin adj hole or aperture adj screen or aperture adj slit))	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:20
L18	0	6 and (test near (abut\$5 near (surface or plate)) and (pin adj hole or aperture adj screen or aperture adj slit))	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:20

L19	0	7 and (test near (abut\$5 near (surface or plate)) and (pin adj hole or aperture adj screen or aperture adj slit))	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:20
L20	0	7 and (test near adjacent near (surface or plate) and (aperture or pin adj hole))	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:21
L21	4	6 and (test near adjacent near (surface or plate) and (aperture or pin adj hole))	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:33
L22	1	("5144363").PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:33
L23	2	((("5144363") or ("5100237"))).PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:35
L24	1	("4778275").PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:35
L25	3	("4062623"   "4251160"   "4573791").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 09:40
L26	1	("4062623").PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:40
L27	1	26 and "23"	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:41
L28	1	26 and "10" and "10a"	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:42
L29	1	("5673101").PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:43
L30	11	("4251160"   "4356392"   "4640619"   "4737823"   "4741622"   "4778275"   "4875076"   "5100237"   "5124927"   "5144363"   "5191200").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 09:44
L31	1	("4737823").PN.	USPAT; USOCR	OR	OFF	2005/04/18 09:47
L32	0	31 and aperture and test	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:47
L33	0	31 and atest	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:47
L34	1	31 and test	US-PGPUB; USPAT	OR	OFF	2005/04/18 09:47

4/15/05

1/4

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	18557	"355"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 09:05
S2	4249	S1 and aperture	US-PGPUB; USPAT	OR	OFF	2005/04/15 09:05
S3	43	S1 and "adjusting aperture"	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:24
S4	49318	"356"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:24
S5	39786	S4 and "2"	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:24
S6	4377597	S4 or "2"	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:24
S7	49318	S4 or S5	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:25
S8	39786	S4 and S5	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:25
S9	18557	"355"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:42
S10	66890	S4 or S9	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:25
S11	985	S4 and S9	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:26
S12	0	S9 and ((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 12:57
S13	0	S9 and ((test adj surface) and (aperture) )	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:28
S14	4252	S9 and ((test adj surface) or (aperture))	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:28
S15	1360	S14 and lithograph\$3	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:28
S16	30	S15 and (adjust\$4 near aperture)	US-PGPUB; USPAT	OR	OFF	2005/04/15 10:42
S17	14	S4 and ((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:44
S18	1869	355/67.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:20
S19	0	S18 and (adjust\$4 adj aperture) and (test with surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:11
S20	0	S18 and (adjust\$4 adj aperture) and (test adj surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:11
S21	0	S18 and (aperture) and (test adj surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:21
S22	214	S18 and aperture and test	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:16

S23	12	S18 and (aperture with test)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:20
S24	3100	355/53.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:24
S25	0	S24 and (aperture) and (test adj surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:22
S26	342	S24 and (aperture) and (test)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:22
S27	1456	355/71.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:40
S28	846	356/237.1.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:25
S29	0	356/237.9.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:25
S30	300	356/239.1.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:25
S31	102	356/239.2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:25
S32	0	S27 and ((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:26
S33	0	S28 and ((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:26
S34	0	S30 and ((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:26
S35	0	S31 and ((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:26
S36	4	S17 and chemical	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:32
S37	0	355/71.ccls. and (test adj surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:41
S38	2	S4 and ((test adj surface) and (aperture) and (lithography) and storage)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:44
S39	56.	((test adj surface) and (aperture) and (lithography))	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:10
S40	1	("6404482").PN.	USPAT; USOCR	OR	OFF	2005/04/15 13:12
S41	22	("4558949"   "4869999"   "4890309"   "4904569"   "4947413"   "4992825"   "5016149"   "5048926"   "5048967"   "5100237"   "5144362"   "5253110"   "5255050"   "5316896"   "5343270"   "5363170"   "5365371"   "5436761"   "5552856"   "5621498"   "5627626"   "5707501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/15 13:25

S42	1	("5100237").PN.	USPAT; USOCR	OR	OFF	2005/04/15 13:25
S43	0	S42 and "M2"	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:26
S44	1	S42 and "M"	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:26
S45	2	("4778275"   "4795244").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/15 13:35
S46	44	S9 and (variable adj slit)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/15 13:35
S47	8	S9 and ((variable adj slit) same (attach\$5 or surface))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/15 13:36
S48	3	S9 and ((variable or adjust\$4) with (aperture or slit or open))same (test with surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:49
S49	0	S9 and ((variable or adjust\$4) with (aperture or slit or open))same (test with chemical)	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:50
S50	26	S4 and ((variable or adjust\$4) with (aperture or slit or open))same (test with surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 14:00
S51	0	S4 and ((variable or adjust\$4) with (aperture or slit or open))same (attach\$5 with test adj surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 14:00
S52	18557	"355"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:09
S53	49318	"356"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:10
S54	23	"356"/67.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:12
S55	866	"356"/71.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:21
S56	0	S55 and (aperture adj blade)	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:13
S57	190	S55 and (aperture )	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:13
S58	0	"356"/74.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:21
S59	313	"355"/74.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:21
S60	15	S52 and (reflect\$4 with test with lens\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/15 16:10
S61	350	S53 and (reflect\$4 with test with lens\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:27

S62	180	S53 and (reflect\$4 with test with lens\$3) and aperture	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:44
S63	16	S53 and (reflect\$4 with test with lens\$3) and (pin adj hole)	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:46
S64	0	S53 and (lithograph\$3 with (reflect\$4 adj lens) with ((aperture or (pin adj hole)) with ((attach\$5 or adjacent) with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:50
S65	0	S53 and ((reflect\$4 adj lens) with ((aperture or (pin adj hole)) with ((attach\$5 or adjacent) with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:51
S66	0	S52 and (lithograph\$3 with (reflect\$4 adj lens) with ((aperture or (pin adj hole)) with ((attach\$5 or adjacent) with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:52
S67	0	S53 and ((reflect\$4 adj lens) with (aperture ) with (((attach\$5 or adjacent) with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:52
S68	0	(lithograph\$3 with (reflect\$4 adj lens) with ((aperture or (pin adj hole)) with ((attach\$5 or adjacent) with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:52
S69	2	(lithograph\$3 with ((reflect\$4 adj lens) or ((aperture or (pin adj hole))) with ((attach\$5 or adjacent) with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:55
S70	0	(lithograph\$3 with ((aperture or (pin adj hole))) with ((attach\$5 with lens\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/15 15:55
S71	657	S52 and (reflect\$4 with object\$4 with lens\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/15 16:11
S72	63	S52 and (reflect\$4 with object\$4 with lens\$3 with aperture)	US-PGPUB; USPAT	OR	OFF	2005/04/15 16:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	0	S18 and (adjust\$4 adj aperture) and (test with surface)	US-PGPUB; USPAT	OR	OFF	2005/04/15 11:11